



# Bovimec®

## Etiqueta Azul 3.15%

Solución Inyectable

EL ETIQUETA AZUL de las ivermectinas

Ivermectina de alta concentración con extra larga acción para el control y tratamiento de parásitos internos y externos.





# Bovimec®

## Etiqueta Azul 3.15%

Solución Inyectable

### SOLO 2 APLICACIONES AL AÑO

Bovimec Etiqueta Azul 3.15% ofrece un control parasitario hasta 140 días\*, lo que disminuye la frecuencia de tratamientos y como consecuencia el estrés en el animal.

\* Varía según el tipo de parásito.

### EFICACIA PROLONGADA

Debido a su formulación tixotrópica la ivermectina se libera lentamente desde el punto de aplicación extendiendo su efecto residual hasta 3 veces más que las ivermectinas comunes.

### ESPECIES DE DESTINO

Bovimec Etiqueta Azul 3.15% es un producto especialmente desarrollado para uso en bovinos de carne; su uso también está indicado para otras especies: camélidos, ovinos y caprinos.



Debido a su formulación tixotrópica se libera lentamente desde el punto de aplicación

**IVERMECTINA 3.15%**



PRODUCTOS VETERINARIOS DE CLASE ÚNICA



**agrovetermarket**  
animalhealth



# Bovimec®

## Etiqueta Azul 3.15%

Injectable Suspension

The BLUE LABEL of ivermectins

High concentration ivermectin with extra long action for the control and treatment of internal and external parasites.



Find us in:



Veterinary use





# Bovimec®

## Etiqueta Azul 3.15%

Injectable suspension

### SHAKE BEFORE USING ONLY 2 APPLICATIONS PER YEAR

Bovimec® Etiqueta Azul 3.15% provides parasite control up to 140 days\*, reducing the frequency of treatments, therefore decreasing the stress in the animal.

\* Varies depending on the type of the parasite.

### LONG-TERM EFFECTIVENESS

Due to its thixotropic formulation, ivermectin is slowly released from the point of application extending its residual effect up to 3 times longer than ordinary ivermectin.

\* Compared with ivermectin 1%.

### TARGET SPECIES

Bovimec® Etiqueta Azul 3.15% is a product specially developed for use in beef cattle; its use is also indicated for other species: camelids, sheep and goats.



Due to its thixotropic formulation it is released slowly from the point of application  
**IVERMECTIN 3.15%**

