

Nuevo

Ceftiofen®

Suspensión Inyectable

Ceftiofur HCl
5%



Ketoprofeno
15%



La combinación perfecta
para la ganadería lechera

PRESENTAMOS EL PRIMER CEFTIOFUR EN COMBINACIÓN CON KETOPROFENO DEL MERCADO

Ceftiofen® es una combinación de ceftiofur (como clorhidrato), antibiótico cefalosporínico de tercera generación y amplio espectro de acción, con un antiinflamatorio no esteroideo (no abortivo), el ketoprofeno, el cual además tiene propiedades analgésicas y antipiréticas.

Ceftiofen® brinda un tratamiento integral de forma eficaz contra los procesos infecciosos asociados a dolor e inflamación.

Múltiples Beneficios

- ✓ Reduce los síntomas asociados a la enfermedad gracias a su acción antiinflamatoria.
- ✓ Sin periodo de retiro en leche.
- ✓ Reduce los costos por tratamiento y mejora la rentabilidad.
- ✓ Menos estrés y manejo para los animales.
- ✓ Menos costos por mano de obra.





Rápida
Recuperación




Sin periodo
de retiro en leche

4 Acciones Cero Descarte de Leche

Ceftiofur HCl



Ketoprofeno



Ceftiofen®

La combinación perfecta
para la ganadería lechera



Suspensión
Inyectable

Bovinos

Ceftiofen® se encuentra indicado en casos de:

- Mastitis infecciosa aguda
- Pasteurellosis
- Neumonía
- Infección por *Haemophilus somnus*
- Metritis
- Pedera en bovinos

También es apropiado para casos de laminitis aguda y crónica, distocia y uso posquirúrgico inmediato (descorne en terneros, cesáreas, entre otros).

Vía I.M., 1 mL/ 50 kg de peso cada 24 horas por 3 a 5 días.

Porcinos

Indicado para casos de:

- Bronquitis
- Neumonía
- Pleuroneumonía
- Salmonelosis
- Colibacilosis
- Pasteurellosis
- Síndrome Mastitis- Metritis- Agalactia

Vía I.M., 1 mL/ 17 kg de peso cada 24 horas por 3 días.

Rumiantes Menores

Tratamiento de infecciones respiratorias (neumonías) y otros procesos infecciosos causados por microorganismos sensibles al ceftiofur y que cursen con reacción inflamatoria.

Vía I.M., 1 mL/ 50 kg de peso cada 24 horas por 3 a 5 días.

4 Acciones

Cero Descarte
de Leche

- ✓ Antibiótico
- ✓ Analgésico
- ✓ Antipirético
- ✓ Antiinflamatorio

Antibiótico en asociación
con Antiinflamatorio
no esteroideo



Ceftiofur HCl 5%
Ketoprofeno 15%

Ceftiofen®

La combinación perfecta
para la ganadería lechera




New

Ceftiofen®

Injectable Suspension

Ceftiofur HCl
5%



Ketoprofen
15%



The **ideal combination**
for dairy farming

INTRODUCING THE IDEAL COMBINATION OF CEFTIOFUR AND KETOPROFEN

Ceftiofen® is a combination of ceftiofur (as hydrochloride), a third generation cephalosporin antibiotic of broad spectrum of action, with ketoprofen, a nonsteroidal anti-inflammatory agent, which has also analgesic and antipyretic properties.

Ceftiofen® provides effectively a complete treatment against infectious diseases associated with pain and inflammation.

Multiple Benefits



- ✓ Reduces symptoms associated with the disease due to its anti-inflammatory action.
- ✓ No withdrawal period in milk.
- ✓ Reduces treatment costs and improves profitability.
- ✓ Less stress and handling of animals.
- ✓ Less labor costs.



Fast
Recovery




No withdrawal
period in milk


4 Actions

Zero milk discard

Ceftiofur HCl



Ketoprofen



Ceftiofen®

The ideal combination
for dairy farming



Injectable
Suspension

Cattle

Ceftiofen® is indicated in cases of:

- Acute infectious mastitis
- Pasteurellosis
- Pneumonia
- Infection by *Haemophilus somnus*
- Metritis
- Cattle foot rot

It is also adequate for cases of acute and chronic laminitis, dystocia and immediate postoperative use (dehorning calves, cesarean sections, among others).

Intramuscular route, 1 mL/ 50 kg of weight every 24 hours during 3 to 5 days.

Pigs

It is indicated in cases of:

- Bronchitis
- Pneumonia
- Pleuropneumonia
- Salmonellosis
- Colibacillosis
- Pasteurellosis
- Mastitis-Metritis-Agalactia syndrome

Intramuscular route, 1 mL/ 17 kg of weight every 24 hours during 3 days.

Small ruminants

Treatment of respiratory infections (pneumonia) and other infectious diseases caused by microorganisms sensitive to ceftiofur, that may show inflammatory reactions.

Intramuscular route, 1 mL/ 50 kg of weight every 24 hours during 3 to 5 days.

4 Actions

Zero milk discard

- ✓ Antibiotic
- ✓ Analgesic
- ✓ Antipyretic
- ✓ Anti-inflammatory

Antibiotic associated with nonsteroidal anti-inflammatory agent



Ceftiofur HCl 5%
Ketoprofen 15%

Ceftiofen®

The ideal combination for dairy farming

